

Date: Tuesday, 22/04/2008 3:52:56 PM
 User: Julie Lecocq

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services	Drawing Name : PLUG
Job Number : 38742	
Estimate Number : 12292	
P.O. Number :	Part Number : D26513
This Issue : 22/04/2008 S.O. No. :	Drawing Number : D2651 REV.B
Prsht Rev. : NC	Project Number : N/A
First Issue : / / Type : PURCHASED PARTS	Drawing Revision : B
Previous Run : 36141	Material :
Written By :	Due Date : 15/05/2008 Qty: 300 Um: Each
Checked & Approved By : <u>JLD08.4.23</u>	
Comment : est rev. A 06.02.15 new issue EC	

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	PG	PURCHASING
-----	----	------------

**Comment:** PURCHASINGIssue P/O: 6221

Purchase P/N: 2-008 as per Dwg D2651

Supplier: Parker

Ensure Certificate of Conformity is attached

08/04/24300

2.0	MS28775008	O RING
-----	------------	--------



Comment: Qty.: 1.0000 Each(s)/Unit Total: 300.0000 Each(s)
 O RING

3.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------

**Comment:** PACKAGING RESOURCE #1

Receive & Inspect For Transit Damage

Ensure material certification is attached

8/4/29300

4.0	QC6	DIMENSIONAL CHECK
-----	-----	-------------------

**Comment:** DIMENSIONAL CHECK

Ensure Material certification comply to Dwg D3446

QSP0198/04/29 +300

5.0	PACKAGING 1	PACKAGING RESOURCE #1
-----	-------------	-----------------------

**Comment:** PACKAGING RESOURCE #1

Identify and Stock

Location: FP28/4/2930054

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries




DESIGN	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
CHECKED	APPROVED	DRAWING NO. D2651	REV. B SHEET 1 OF 1
DATE 03.12.19		TITLE PLUG	SCALE 1:1
A	97.03.25	NEW ISSUE	
B	03.12.19	ADD POWDER COAT, MS28775-008	


RELEASED

03.12.19

D2651-1 PLUG:



GROOVE DETAIL (SCALE 5:1)



D2651-1 PLUG

- 1) MATERIAL: 6061-T6 (QQ-A-225/8) OR 1100-0 (QQ-A-225/1)
- 2) FINISH: ACID ETCH & ALODINE PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) BREAK ALL SHARP EDGES 0.010 MAX

D2651-3 O-RING

- 1) MATERIAL: BUNA N, 70 DUROMETER
3/16 ID, 5/16 OD, 1/16 WIDTH
(PARKER 2-008, MS28775-008 OR EQUIVALENT)

SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
NO. 38742

Copyright © 1997 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.



- ORDER -

ENGINEERING AND SUPPLY CO., INC.

☐ CASH SALE☐ PICKING TICKET☐ DIRECT☐ CREDIT CARD

SHIPPED FROM:

SWAN ENGINEERING AND SUPPLY CO., INC.

550 SHAWNEE AVE. KANSAS CITY, KS 66105-2184

(913) 371-7425 (800) 444-7425 FAX (913) 371-4210

DISTRIBUTOR OF:
HYDRAULIC HOSE & COUPLINGS
O-RINGS, TEFLON SEALS
PACKINGS

PLEASE NOTE:

(1) 15% Handling Charge on Returns
(2) Proof of Purchase Required on all Returns
(3) O-rings, seals, gaskets, hose assemblies and items made of rubber are non-returnable after 30 days.
(4) No returns after 6 months
(5) Authorization for returns must be obtained from parts manager

SHIPPING INSTRUCTIONS

CARRIER ☐ TODAY SURE ☒ ASAP ☐ CUSTOMER P/U
SHIP VIA:
UPS ☐ RED ☐ BLUE ☐ GROUND
☐ POSTAL ☐ TRUCK ☒ FED EX

FROM



ENGINEERING AND SUPPLY CO., INC.

550 SHAWNEE AVENUE

KANSAS CITY, KANSAS 66105-2184

CUSTOMER P.O. NO.

08B231

VENDOR ID.

SWAN INV NO.

133205

TO

M & M AEROSPACE HDW., INC.
FED EX GROUND
10000 N.W. 15TH TERRACE
MIAMI, FL 33172

M & M AEROSPACE HDW., INC.

FED EX GROUND

P.O. BOX 025263

MIAMI, FL 331025263

THIS MAY NOT BE YOUR INVOICE !!

PHONE NO. (000) 000-0000

TERMS	CUST NO.	SALES REP	NO. OF PKGS.	SHIPPED VIA	PICK/PAK BY	ORDER PLACED BY	ORDER DATE	SHIP DATE
NET 30	19247	04	2	FED EX	acc/Km	JON	04/20/07	06/20/07

LINE NO.	QUANTITY ORDERED	QUANTITY SHIPPED	QUANTITY BACK ORDERED	PART NUMBER	DESCRIPTION	UNIT PRICE	UNIT	EXTENSION
001	20000.00	20,000	0	MS28775-008.	O-RING	.0510	EA	
				O-RING QTY 1 EA M&M AEROSPACE P/N MS28775-008 MFG PARKER SEAL CO CURED 1Q07 BATCH 80055115				

ENTERED
4-20-07
JAM

COMPLETED

acc/Km 5/15/07

COMPLETED

5-16-07 JAM

RECEIVED IN GOOD ORDER BY:

MDSE. AMOUNT

FREIGHT

STATE

SALES TAX

TOTAL AMOUNT DUE

ALL CLAIMS FOR SHORTAGES
OR DAMAGED GOODS MUST
BE MADE WITHIN 48 HOURS.

DATE

5-16-07

This transaction, whether a sale, lease or repair, is subject to Swan Engineering and Supply Co., Inc.'s standard terms and conditions for the particular type of transaction involved, which terms and conditions are available upon request. Swan Engineering and Supply Co., Inc. with respect to manufacturer's and other warranties, except where such limitations and exclusions are specifically prohibited by applicable law, and except where otherwise previously agreed in writing by Swan Engineering and Supply Co., Inc. with respect to manufacturer's and other warranties, Swan Engineering and Supply Co., Inc. makes NO WARRANTY whatsoever as to the equipment or parts sold or leased or repair services performed and expressly DISCLAIMS ALL EXPRESS OR IMPLIED WARRANTIES INCLUDING ANY WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. (2) the Customer shall have NO REMEDY whatsoever against Swan Engineering and Supply Co., Inc. as a result of such sale, lease or repair work including but not limited to the recovery of direct, incidental, special, indirect, consequential damages for lost profits, lost sales, injury to person or property, or any other loss) whether by direct action, for contribution or indemnity, or otherwise, or whether based on contract, tort, strict liability or other legal theory.

ORIGINAL



Parker Hannifin Corporation
 O-Ring Division
 Parker Seal de Matamoros
 Diagonal Lorenzo De La Garza #13 Ciudad
 H. Matamoros, Tam. 87499, Mexico
 Phone: (859) 335-3000

— NOTICE —
This is a C.B.I. Compound!

C.B.I. is Parker's exclusive quality assurance program for Controlled Batch Identification, your assurance of reliability.

CONFORMANCE CERTIFICATE FOR MATERIAL SHIPPED

Parker O-Ring Division certifies that the material used in the manufacture of the parts identified below and called for on Purchase Order Number 181784 received by us from SWAN ENG SPLY KANSAS KS is traceable to C.B.I. Number 0080055115 and that the material used conforms to the requirements of the specifications indicated below. The tests were performed in accordance with these specifications, and data supporting the indicated results are on file.

CUSTOMER PART NUMBER	PARKER PART NUMBER	COMPOUND	QUANTITY	CURE DATE	SHIP DATE																																																																														
MS28775-008.	MS28775-008	N0304 -75	20000	1Q07	05/02/07																																																																														
TESTED AS: 2-214 & BUTTONS																																																																																			
<table border="0"> <tr> <td colspan="2">PHYSICAL PROPERTIES</td> <td>REQUIREMENTS</td> <td>VARIATION</td> <td>PARKER FINDINGS</td> <td>TEST DT 03/21/07</td> </tr> <tr> <td>SPECIFICATION MIL-P-25732C</td> <td>TYPE</td> <td>CLASS</td> <td></td> <td></td> <td></td> </tr> <tr> <td>ASTMD297 SPECIFIC GRAVITY</td> <td></td> <td></td> <td>(1.26 - 1.30)</td> <td>1.2800</td> <td></td> </tr> <tr> <td>ASTMD2240 HARDNESS SHORE A</td> <td></td> <td>(68 - 80)</td> <td>(70 - 80)</td> <td>75</td> <td></td> </tr> <tr> <td>ASTMD1414 TENSILE STRENGTH, PSI</td> <td></td> <td>1350 MIN</td> <td>(1440 - 2160)</td> <td>1691</td> <td></td> </tr> <tr> <td>ASTMD1414 ELONGATION, %</td> <td></td> <td>160 MIN</td> <td>(160 - 226)</td> <td>190</td> <td></td> </tr> <tr> <td>MODULUS AT 100% ELONG.</td> <td></td> <td>500 MIN</td> <td>(500 - 9999)</td> <td>638</td> <td></td> </tr> <tr> <td>TR-10 50% ELONG. 10% RETURN</td> <td></td> <td>-49 MAX</td> <td></td> <td>-50.0</td> <td></td> </tr> <tr> <td>FLUID AGEING 70 HRS AT 275F IN MIL H-5606</td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>ASTMD395 COMPRESSION SET % MAX</td> <td></td> <td>55</td> <td></td> <td>34.2</td> <td></td> </tr> <tr> <td>TR-10</td> <td></td> <td>-49 MAX</td> <td></td> <td>-52.0</td> <td></td> </tr> <tr> <td>ASTMD2240 HARDNESS CHANGE</td> <td></td> <td>+5 -15</td> <td></td> <td>-12.0</td> <td></td> </tr> <tr> <td>VOLUME CHANGE</td> <td></td> <td>1 +20</td> <td></td> <td>20.0</td> <td></td> </tr> </table>						PHYSICAL PROPERTIES		REQUIREMENTS	VARIATION	PARKER FINDINGS	TEST DT 03/21/07	SPECIFICATION MIL-P-25732C	TYPE	CLASS				ASTMD297 SPECIFIC GRAVITY			(1.26 - 1.30)	1.2800		ASTMD2240 HARDNESS SHORE A		(68 - 80)	(70 - 80)	75		ASTMD1414 TENSILE STRENGTH, PSI		1350 MIN	(1440 - 2160)	1691		ASTMD1414 ELONGATION, %		160 MIN	(160 - 226)	190		MODULUS AT 100% ELONG.		500 MIN	(500 - 9999)	638		TR-10 50% ELONG. 10% RETURN		-49 MAX		-50.0		FLUID AGEING 70 HRS AT 275F IN MIL H-5606						ASTMD395 COMPRESSION SET % MAX		55		34.2		TR-10		-49 MAX		-52.0		ASTMD2240 HARDNESS CHANGE		+5 -15		-12.0		VOLUME CHANGE		1 +20		20.0	
PHYSICAL PROPERTIES		REQUIREMENTS	VARIATION	PARKER FINDINGS	TEST DT 03/21/07																																																																														
SPECIFICATION MIL-P-25732C	TYPE	CLASS																																																																																	
ASTMD297 SPECIFIC GRAVITY			(1.26 - 1.30)	1.2800																																																																															
ASTMD2240 HARDNESS SHORE A		(68 - 80)	(70 - 80)	75																																																																															
ASTMD1414 TENSILE STRENGTH, PSI		1350 MIN	(1440 - 2160)	1691																																																																															
ASTMD1414 ELONGATION, %		160 MIN	(160 - 226)	190																																																																															
MODULUS AT 100% ELONG.		500 MIN	(500 - 9999)	638																																																																															
TR-10 50% ELONG. 10% RETURN		-49 MAX		-50.0																																																																															
FLUID AGEING 70 HRS AT 275F IN MIL H-5606																																																																																			
ASTMD395 COMPRESSION SET % MAX		55		34.2																																																																															
TR-10		-49 MAX		-52.0																																																																															
ASTMD2240 HARDNESS CHANGE		+5 -15		-12.0																																																																															
VOLUME CHANGE		1 +20		20.0																																																																															
Testing Performed By PSDM Lab Diagonal Lorenzo De La Garza #13 Ciudad H. Matamoros, Tam. 87499, Mexico																																																																																			
CAGE CODE: 02697																																																																																			

No Mercury, Mercury compounds or Mercury bearing instruments, equipment or apparatus which might cause contamination has been used in the manufacture or subsequent processing of material covered by this order.

Purchaser use only. Reproduce only in full. Data pertains to items referenced.

The recording of false, fictitious or fraudulent statements or entries on the certificate may be punishable as a felony under federal law.

The information contained herein is submitted as the privileged and confidential property of the Parker Hannifin Corporation pursuant to 5 U.S.C. Section 552 (b)(3) and (b)(4), the Freedom of Information Act, exemption Number 3 and Number 4. This information shall not be duplicated, used or disclosed in whole or in part outside the recipient organization without express written consent of the Parker Hannifin Corporation.

O-Ring Division
PARKER HANNIFIN CORPORATION

By

Ruben Ramirez
 Quality Assurance Manager